

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	100	("6307935" "4567600" "5271061" "5463690" "5475826" "5694569" "6081597" "5581616" "5805703" "6049610" "6285760" "5541994" "5680460" "5832091" "5519778" "4964164" "5751811" "4797920" "5195136" "5200999" "4815130" "5289397" "5583939" "5835592" "5231666" "5313521" "5631961" "5375169" "5787173" "5937067" "5295188" "5673318" "5757913" "6185304" "6298137" "5245658" "6252544" "6429812" "6243467" "6081598" "5761306" "6240187" "5216715" "5907618" "6058188" "5677956" "5265164" "5220606" "5793871" "4897876").pn. ("5323464" "5504818" "4870681" "4956863" "5201000" "5235644" "5594869" "5850450" "6282362" "6009177" "5987130" "5365589" "5781635" "5999628" "4249180" "5619573" "5483598" "5717760" "5787172" "6148400" "6185679" "6266413" "6445794" "6456716" "6490353" "6163790" "6134327" "6215872" "6215872" "6199087" "4316055" "4405829" "4633036" "5608800" "5440640" "4078152" "4797921" "4805216" "4926478" "5001750" "5070528" "5227613" "5703952" "6587563" "5412729" "5539827" "5010573" "5373560" "5915024").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/02 10:08
S2	50	("6307935" "4567600" "5271061" "5463690" "5475826" "5694569" "6081597" "5581616" "5805703" "6049610" "6285760" "5541994" "5680460" "5832091" "5519778" "4964164" "5751811" "4797920" "5195136" "5200999" "4815130" "5289397" "5583939" "5835592" "5231666" "5313521" "5631961" "5375169" "5787173" "5937067" "5295188" "5673318" "5757913" "6185304" "6298137" "5245658" "6252544" "6429812" "6243467" "6081598" "5761306" "6240187" "5216715" "5907618" "6058188" "5677956" "5265164" "5220606" "5793871" "4897876").pn. ("5323464" "5504818" "4870681" "4956863" "5201000" "5235644" "5594869" "5850450" "6282362" "6009177" "5987130" "5365589" "5781635" "5999628" "4249180" "5619573" "5483598" "5717760" "5787172" "6148400" "6185679" "6266413" "6445794" "6456716" "6490353" "6163790" "6134327" "6215872" "6215872" "6199087" "4316055" "4405829" "4633036" "5608800" "5440640" "4078152" "4797921" "4805216" "4926478" "5001750" "5070528" "5227613" "5703952" "6587563" "5412729" "5539827" "5010573" "5373560" "5915024").pn. with quasigroup	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/01 16:34
S3	659	@pd<="20002205" and (mathematic\$3 or arithmetic\$3) same (encrypt\$3 or cryptography)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/03 16:48
S4	5	@pd<="20002205" and (mathematic\$3 or arithmetic\$3) same (encrypt\$3 or cryptography) same associative	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/02 09:34
S5	46	@pd<="20002205" and (mathematic\$3 or arithmetic\$3) same (encrypt\$3 or cryptography) same inverse	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/02 10:02
S6	2	"5724427"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 13:48
S7	10	"5787173"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/02 16:07
S8	1	"5724427".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 15:18
S9	1	"5787173".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/18 12:59
S10	1	"6266417".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/18 13:56

S11	91	@pd<="20002205" and XIP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/09 10:11
S12	2	@pd<="20002205" and (XIP same encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/04 14:26
S13	3	@pd<="20002205" and (encrypt\$3 near2 ring)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/03 14:07
S14	1	"4218582".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/03 15:50
S15	2	"4405829".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/03 15:55
S16	2	"4424414".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/03 15:55
S17	39	@pd<="20002205" and (mathematic\$3 or arithmetic\$3) same (encrypt\$3 or cryptography or encod\$3 or encipher\$3) same algebraic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/09 13:42
S18	25	@pd<="20002205" and (mathematic\$3 or arithmetic\$3) same (encrypt\$3 or cryptography or encod\$3 or encipher\$3) same second same exponent\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/04 14:18
S19	1	@pd<="20002205" and stor\$3 WITH (computer adj readable) WITH instruct\$3 WITH arithmetic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/04 14:38
S20	4	@pd<="20002205" and stor\$3 WITH (floppy) WITH instruct\$3 WITH arithmetic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/04 14:39
S21	1	"5850450".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/08 10:17
S22	1	"5440640".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/08 10:17
S23	4	@pd<="20002205" and (iterative SAME encipher\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/09 10:12
S24	1	"5928362".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/09 11:21
S25	9	@pd<="20002205" and ((mathematic\$3 or arithmetic\$3) same (encrypt\$3 or cryptography or encod\$3 or encipher\$3) same stor\$3 same ((computer adj readable adj media) or floppy))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/09 13:54
S26	6	@pd<="20002205" and ((computer adj readable) or floppy) same instruct\$3 same encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/09 14:01
S27	1	"5982890".pn.	USPAT	OR	ON	2004/03/09 14:05

S28	2585	non-trivial	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/18 13:01
S29	19	non-trivial with encoding	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/18 13:01
S30	334600	exponent\$5 with encrypt\$3 or encod\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/18 13:57
S31	941	exponent\$5 with (encrypt\$3 or encod\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/18 14:33
S32	134	xip	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/18 14:34
S33	1	xip with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/18 14:43
S34	2	quasigroup	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 13:53
S35	2	quasi-group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 13:59
S36	11	cross\$3 adj inverse	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 13:59
S37	1	"5812072".pn.	US-PGPUB; USPAT	OR	ON	2004/12/07 15:41
S38	1	"5787173".pn.	US-PGPUB; USPAT	OR	ON	2004/12/07 15:41